




**BENZI
AMERICA**

METRIC - DRIVELINES & SPARE PARTS

MADE IN ITALY

BA-0414

QUICK REFERENCE CATALOG



evolution
HIGH PERFORMANCE SERIES

ENERGY

In this catalog :

- METRIC RANGE OVERVIEW
- FAST MOVING REPLACEMENT DRIVELINES
- FAST MOVING REPLACEMENT SPARE PARTS
- METRIC CROSS REFERENCE TABLES




All measures reported in this catalog , unless otherwise mentioned , are expressed in mm




**BENZI
AMERICA**

BENZI AMERICA INC.
975 Cobb Place Blvd. Suite 115 , GA 30281 USA
Tel. : 678 759 8664 / Fax : 678 759 8665
info@benziamerica.com - benziamerica.com


The N.American branch of




**BENZI &
DI TERLIZZI**

METRIC RANGE OVERVIEW

STANDARD drivelines


SIZE	Albero tipo Shaft size Arbre type Gelenk. Typ	540 * giri/min rpm U / min			1.000 * giri/min rpm U / min								
		kW	CV-HP	Nm	kW	CV-HP	Nm	A	B	A	S	A	S
1	B 01	12	16	210	18	25	172	22	54	26,5	3,5	32,5	2,6
2	B 02	15	21	270	23	31	220	23,8	61,3	29	4	36	3,2
3	B 03	22	30	390	35	47	330	27	70	36	3,2	43,5	3,4
4	B 04	26	35	460	40	55	380	27	74,6	36	4,5	43,5	3,4
5	B 05	35	47	620	54	74	520	30,2	80	45	4	51,6	3
6	B 06	47	64	830	74	100	710	30,2	92	45	4	54	4
7	B 07	55	75	970	87	118	830	35	94	45	5,5	54	4
8	B 08	70	95	1.240	110	150	1.050	35	106,5	54	4	63	4
9	B 09	88	120	1.560	140	190	1.340	41	108	54	5	63	4
10	B 10	106	145	1.890	170	230	1.630	41	118	54	6	66	5,6


* Capacità dinamica - Dynamic Capacity - Capacité dynamique - Dynamische Kapazität





STANDARD drivelines


SIZE	Albero tipo Shaft size Arbre type Gelenk. Typ	540 * giri/min rpm U / min			1.000 * giri/min rpm U / min											
		kW	CV-HP	Mn (Nm)	kW	CV-HP	Mn (Nm)	A	B	A	B	S	A	B	S	Mp (Nm)
W2100	L 01	12	16	210	18	24	175	22	54,8	23,5	31	3,6	30	39	2,8	850
W2200	L 23	20	27	355	31	42	295	23,8	61,3	34,5	40	4	41	48	3	1.550
W2300	L 04	28	38	500	44	60	415	27	74,6	34,5	40	4	41	48	3	1.550
W2300	L 46	28	38	500	44	60	415	27	74,6	39,5	49	4,5	48	57,5	4	2.300
W2400	L 05	39	53	695	61	83	580	32	76	39,5	49	4,5	48	57,5	4	2.300
W2500	L 67	66	90	1.175	102	139	975	36	89	39,5	49	4,5	48	57,5	4	2.300

* Capacità dinamica - Dynamic Capacity - Capacité dynamique - Dynamische Kapazität


METRIC RANGE OVERVIEW
HEAVY DUTY drivelines

evolution
HIGH PERFORMANCE SERIES


Albero tipo Shaft size Arbre type Gelenk Typ	540 * giri/min rpm U / min			1.000 * giri/min rpm U / min											Mp(Nm)
	kW	CV-HP	Mn (Nm)	kW	CV-HP	Mn (Nm)	A	B	D	E	S	A	B	S	
V 06	44	60	780	68	93	653	32	76	51	37	-	61	47	4,5	3.000
V 07	66	90	1.170	102	139	980	36	89	51	37	-	61	47	4,5	3.000
V 08	77	105	1.365	119	162	1142	35	106,5	51	37	-	61	47	4,5	3.000
V 10	92	125	1.625	142	193	1.360	42	104	61	47	4,5	71,5	57,5	5	6.000
V 12	121	165	2.145	188	255	1.795	50	118	61	47	4,5	71,5	57,5	5	6.000

* Capacità dinamica - Dynamic capacity - Capacité dynamique - Dinamische Kapazität

METRIC RANGE OVERVIEW



W23 - W 40 - W 50 - W 55 - W 65

1
CV head

W27 - W 42 - W 52 - W 57 - W 67


2
CV heads

SIZE	BENZI MODEL	540 rpm			1.000 rpm			Diagram 1				Diagram 2			Diagram 3			Mp(Nm)
		kW	CV-HP	Mn (Nm)	kW	CV-HP	Mn (Nm)	A	B	C	D	A	B	S	A	B	S	
W2280	W 23	20	27	355	31	42	295	23,8	61,3	22	80	34,5	40	4	41	48	3	1.550
	W 27																	
W2380	W 40	28	38	500	44	60	415	27	74,6	23,8	95	34,5	40	4	41	48	3	1.550
	W 42																	
W2480	W 50	39	53	695	61	83	580	32	76	27	98	39,5	49	4,5	48	57,5	4	2.300
	W 52																	

SIZE	BENZI MODEL	540 rpm			1.000 rpm			Diagram 1				Diagram 2			Diagram 3			Mp(Nm)
		kW	CV-HP	Mn (Nm)	kW	CV-HP	Mn (Nm)	A	B	C	D	A	B	S	A	B	S	
W2480	W 55	39	53	695	61	83	580	32	76	27	98	51	37	-	61	47	4,5	3.000
	W 57																	
W2580	W 65	66	90	1.175	102	139	975	36	89	32	110	51	37	-	61	47	4,5	3.000
	W 67																	

Basis of calculation - joint angle 10°, life 1000 h

Rilsan coated tube



All complete drivelines are available from 20" lengths up to 70"


you can't find the driveline you need ? Contact us to receive the COMPLETE CATALOG of our metric range of products



METRIC - DRIVELINES & SPARE PARTS

MADE IN ITALY

FAST MOVING REPLACEMENT DRIVELINES



⇒ All purpose STANDARD drivelines

SIZE	Model	Part No. :	Overall Length "L"		Tractor yoke	Implement yoke
2	B02	B02091AAC10010	47"	1200 mm	1.3/8 Z6 COLLAR	1.3/8 Z6 push pin
4	B04	B04091AAC10010	48"	1200 mm	1.3/8 Z6 COLLAR	1.3/8 Z6 push pin
5	B05	B05121AAC10010	57"	1450 mm	1.3/8 Z6 COLLAR	1.3/8 Z6 push pin
6	B06	B06121AAC10010	57"	1450 mm	1.3/8 Z6 COLLAR	1.3/8 Z6 push pin
8	B08	B08116AAH13013	57"	1450 mm	1.3/4 Z20 COLLAR	1.3/4 Z20 push pin

⇒ All purpose 1 CV HEAD drivelines

SIZE	Model	Part No. :	Overall Length "L"		Tractor yoke	Implement yoke
W2480	W50	W50126GAH10010	60"	1500 mm	1.3/8 Z6 COLLAR	1.3/8 Z6 push pin
W2480	W50	W50126GAH12010	60"	1500 mm	1.3/8 Z21 COLLAR	1.3/8 Z6 push pin
W2580	W65	W65131GAH10010	62"	1550 mm	1.3/8 Z6 COLLAR	1.3/8 Z6 push pin
W2580	W65	W65131GAH12010	62"	1550 mm	1.3/8 Z21 COLLAR	1.3/8 Z6 push pin
W2580	W65	W65131GAH17017	62"	1550 mm	1.3/4 Z20 COLLAR	1.3/4 Z20 push pin

⇒ All purpose 2 CV HEADS drivelines

SIZE	Model	Part No. :	Overall Length "L"		Tractor yoke	Implement yoke
W2480	W52	W52126GGH10H10	60"	1500 mm	1.3/8 Z6 COLLAR	1.3/8 Z6 Collar
W2580	W67	W67131GGH12H10	62"	1550 mm	1.3/8 Z21 COLLAR	1.3/8 Z6 Collar

⇒ Fertilizer Spreader drivelines

SIZE	Model	Part No. :	Overall Length "L"		Tractor yoke	Implement yoke
1	B01	B01051AAC10010	27"	700 mm	1.3/8 Z6 COLLAR	1.3/8 Z6 push pin
1	B01	B01071AAC10010	35"	900 mm	1.3/8 Z6 COLLAR	1.3/8 Z6 push pin

⇒ Post Hole Digger drivelines

SIZE	Model	Part No. :	Overall Length "L"		Tractor yoke	Implement yoke
2	B02	B02111AAC10069	52"	1300 mm	1.3/8 Z6 COLLAR	PB 1.1/4 with pinhole
4	B04	B04111AAC10069	51"	1300 mm	1.3/8 Z6 COLLAR	PB 1.1/4 with pinhole



BENZI AMERICA INC.

975 Cobb Place Blvd. Suite 115, GA 30281 USA

Tel. : 678 759 8664 / Fax : 678 759 8665

info@benziamerica.com - benziamerica.com

The N.American branch of






**BENZI
AMERICA**

METRIC - DRIVELINES & SPARE PARTS

MADE IN ITALY

FAST MOVING REPLACEMENT DRIVELINES



Hay Tedder drivelines

SIZE	Model	Part No. :	Overall Length "L"		Tractor yoke	Implement yoke
2	B02	B02111AAC10411	52"	1300 mm	1.3/8 Z6 COLLAR	Radial pin clutch 1.3/8 Z6
4	B04	B04116AAC10422	54"	1350 mm	1.3/8 Z6 COLLAR	Radial pin clutch 1.3/8 Z6



Finishing Mower drivelines

SIZE	Model	Part No. :	Overall Length "L"		Tractor yoke	Implement yoke
4	B04	B04096AAC10C10	45"	1150	1.3/8 Z6 COLLAR	1.3/8 Z6 COLLAR
6	B06	B06071AAC10C10	37"	950	1.3/8 Z6 COLLAR	1.3/8 Z6 COLLAR



Rotary Cutter drivelines

SIZE	Model	Part No. :	Overall Length "L"		Tractor yoke	Implement yoke
2	B02	B02111AAC10060	51"	1300 mm	1.3/8 Z6 COLLAR	PB 1.3/8 with pin hole
4	B04	B04111AAC10060	51"	1300 mm	1.3/8 Z6 COLLAR	PB 1.3/8 with pin hole
4	B04	B04061AAC10060	32"	800 mm	1.3/8 Z6 COLLAR	PB 1.3/8 with pin hole
4	B04	B04076AAC10060	38"	950 mm	1.3/8 Z6 COLLAR	PB 1.3/8 with pin hole
5	B05	B05096AFC10142	48"	1200 mm	1.3/8 Z6 COLLAR	friction clutc 1.3/8 Z6
6	B06	B06111AFC10143	54"	1350 mm	1.3/8 Z6 COLLAR	friction clutc 1.3/8 Z6



Disc Mower drivelines

SIZE	Model	Part No. :	Overall Length "L"		Tractor yoke	Implement yoke
2	B02	B02081AAC10622	39"	1000 mm	1.3/8 Z6 COLLAR	OVERR. CLUTCH 1.3/8 Z6
5	B05	B05091AAC10626	45"	1150 mm	1.3/8 Z6 COLLAR	OVERR. CLUTCH 1.3/8 Z6



BENZI AMERICA INC.

975 Cobb Place Blvd. Suite 115 , GA 30281 USA

Tel. : 678 759 8664 / Fax : 678 759 8665

info@benziamerica.com - benziamerica.com

The N.American branch of



















All complete drivelines are available from 20" lengths up to 70"

you can't find the driveline you need ? Contact us to receive the COMPLETE CATALOG of our metric range of products

FAST MOVING SPARE PARTS

STANDARD DRIVELINES




SIZE	BENZI Model	Cross size										
			1	2	3	4	5		6		7	8
1	B01		1.3/8"-6				S	A	S	A		
2	B02		10110	20140	50120B	50130B	2,6 - 32,5	3,5 - 26,5	60120B1500	60130B1500	70120B	70130B
3	B03		10210	20240	50220B	50230B	3,2 - 36	4 - 29	60250B1500	60230B1500	70220B	70230B
4	B04		10310	20340	50320B	50330B	3,4 - 43,5	3,2 - 36	60320B1500	60250B1500	70320B	70330B
5	B05		10410	20440	50420B	50430B	3,4 - 43,5	4,5 - 36	60320B1500	60330B1500	70420B	70430B
6	B06		10510	20540	50520B	50530B	3 - 51,6	4 - 45	60420B1500	60430B1500	70520B	70530B
7	B07		10610	20640	50620B	50630B	4 - 54	4 - 45	60550B1500	60430B1500	70620B	70630B
8	B08		10710	20740	50720B	50730B	4 - 54	5,5 - 45	60550B1500	60530B1500	70720B	70730B
9	B09		10810	20840	50820B	50830B	4 - 63	4 - 54	60620B1500	60550B1500	70820B	70830B
10	B10		10910	20940	50920B	50930B	4 - 63	5 - 54	60620B1500	60630B1500	70920B	70930B
			11010	21040	51020B	51030B	5,6 - 66	6 - 54	60720B1500	60730B1500	71020B	71030B

Tubina supplied in 1500 mm lengths


FAST MOVING SPARE PARTS
STANDARD DRIVELINES
END YOKES


SIZE	BENZI Model	A	X	P	L
1	B01	1.1/8"-6	65	16	92
		1.3/8"-6			
		1.3/8"-21			
2	B02	1.1/8"-6	71	18	97
		1.3/8"-6			
		1.3/8"-21			
3	B03	1.1/8"-6	80	18	102
		1.3/8"-6			
		1.3/8"-21			
4	B04	1.1/8"-6	85	18	109
		1.3/8"-6			
		1.3/8"-21			
5	B05	1.3/8"-6	89	20	112
		1.3/8"-21			
		1.3/4"-6			
		1.3/4"-20			
6	B06	1.3/8"-6	106	20	122
		1.3/8"-21			
		1.3/4"-6			
		1.3/4"-20			
7	B07	1.3/8"-6	106	20	122
		1.3/8"-21			
		1.3/4"-6			
		1.3/4"-20			
8	B08	1.3/8"-6	117	20	125
		1.3/8"-21			
		1.3/4"-6			
		1.3/4"-20			
9	B09	1.3/8"-6	121	20	126
		1.3/8"-21			
		1.3/4"-6			
		1.3/4"-20			
10	B10	1.3/8"-6	131	20	140
		1.3/8"-21			
		1.3/4"-6			
		1.3/4"-20			


PUSH PIN
COLLAR

Part.No.
10111
10110
10112
10211
10210
10212
10311
10310
10312
10411
10410
10412
10510
10512
10513
10517
10610
10612
10613
10617
10710
10712
10713
10717
10810
10812
10813
10817
10910
10912
10913
10917
11010
11012
11013
11017


Part.No.
-
101C10
101C12
-
102C10
102C12
-
103C10
103C12
-
104C10
104C12
105C10
105C12
105H13
105H17
106C10
106C12
106H13
106H17
107C10
107C12
107H13
107H17
108C10
108C12
108H13
108H17
109C10
109C12
109H13
109H17
110C10
110C12
110H13
110H17

FAST MOVING SPARE PARTS
STANDARD DRIVELINES


Round bore with K/way
and set of 2 Threads at 90°




SIZE	BENZI Model	A	C Js9	F (x2 at 90°)	Part.No.
1	B01	1"	1/4"	3/8" 16UNC	101K8S
		1.1/4"	1/4"	3/8" 16UNC	101K9S
2	B02	1"	1/4"	3/8" 16UNC	102K8S
		1.1/4"	5/16"	3/8" 16UNC	102K9N
4	B04	1"	1/4"	3/8" 16UNC	104K8S
		1.1/4"	5/16"	3/8" 16UNC	104K9N
		1.3/8"	5/16"	3/8" 16UNC	104K0S
6	B06	1.1/4"	1/4"	3/8" 16UNC	106K9S
		1.1/4"	5/16"	3/8" 16UNC	106K9N
		1.3/8"	5/16"	3/8" 16UNC	106K0S
		1.3/4"	3/8"	3/8" 16UNC	106KA
		1.1/2"	3/8"	3/8" 16UNC	106KF
8	B08	1.3/8"	5/16"	3/8" 16UNC	108K0S
		1.1/2"	3/8"	3/8" 16UNC	108KF
		1.3/4"	3/8"	3/8" 16UNC	108KA

















Round bore with pin hole
















SIZE	BENZI Model	A	S H12	X	P	L	Part.No.
1	B01	1"	3/8"	65	15	79	10168
2	B02	1"	3/8"				10268
		1.1/4"	3/8"				10269
4	B04	1.1/4"	3/8"	85	20	98	10469
		1.3/8"	3/8"				10460
5	B05	1.1/4"	3/8"	89	20	96	10569
		1.3/8"	3/8"				10560
6	B06	1.1/4"	3/8"				10669
		1.3/8"	3/8"	106	20	105	10660
		1.3/4"	3/8"				1066A

FAST MOVING SPARE PARTS
STANDARD DRIVELINES

ENERGY

SIZE	BENZI Model	Cross size	1	2	3	4	5	6	7	8
										
			1.3/8"-6				A B S	A B S		
W2100	L01		010110	020140	50120L	50130L	30 X 39 X 2,8	23,5 X 31 X 3,6		
W2200	L23		010210	020240	52320L	52330L	41 X 48 X 3	34,5 X 40 X 4		
W2300	L04		010410	020440	50420L	50430L	41 X 48 X 3	34,5 X 40 X 4		
	L46				54620L	54630L	48 X 57,5 X 4	39,5 X 49 X 4,5	70420L	70430L
W2400	L05		010510	020540	50520L	50530L	48 X 57,5 X 4	39,5 X 49 X 4,5	70520L	70530L
W2500	L67		016710	026740	56720L	56730L	48 X 57,5 X 4	39,5 X 49 X 4,5	76720L	76730L

Tubing supplied in 1500 mm lengths

FAST MOVING SPARE PARTS
STANDARD DRIVELINES

ENERGY

SIZE	BENZI Model	Cross size 	1	2	3	4	** 5	** 6	7	8
										
W2400	T05	 32 76	1.3/8"-6				A B S 61 X 47 X 4,5 60120T1500	A B S 51 X 37 - 60130T1500		
W2500	T67	 36 89					A B S 61 X 47 X 4,5 60120T1500	A B S 51 X 37 - 60130T1500		
W2600	T09	 42 104					A B S 71,5 X 57,5 X 5 60220T1500	A B S 61 X 47 X 4,5 *60120T....FT		

Tubing supplied in 1500 mm lengths





**BENZI
AMERICA**

METRIC - DRIVELINES & SPARE PARTS

MADE IN ITALY

FAST MOVING SPARE PARTS

HEAVY DUTY DRIVELINES



SIZE	BENZI Model	Cross size 50hrs Lube	1		2		3		4		** 5			** 6			7		8	
			1.3/8"-6										A	B	S	A	B	S		
P400	V06		0105H10	020571	50520T	50530T	60130T...	60120T...	70520T	705H30T										
P500	V07		0167H10	026771	56720T	56730T	60130T...	60120T...	76720T	767H30T										
-	V08		108H10	20871	51820T	51830T	60130T...	60120T...	71820T	718H30T										
P600	V10		0109H10	020971	51020V	51030V	60120T...FTV10*	60220T...FTITV10*	71020V	710H30V										
P700	V12		0112H13V	021270	51220V	51230V	60120T...FTV10*	60220T...FTITV12*	71220V	712H30V										

* Hardened tube cut to size



BENZI AMERICA INC.
975 Cobb Place Blvd. Suite 115, GA 30281 USA
Tel. : 678 759 8664 / Fax : 678 759 8665
info@benziamerica.com - benziamerica.com


The N.American branch of



you can't find the spare you need ? Contact us to receive the COMPLETE CATALOG of our metric range of products

FAST MOVING SPARE PARTS

CV DRIVELINES




SIZE	BENZI Model	A B C D				1	2	3	4	* 5			6			7	8	9
		A	B	C	D					A	B	S	A	B	S			
W2280	W23	23,8	61,3	22	80	0123C10W	022340W	502W	52330W	34,5 X 40 X 4	41 X 48 X 3	52320W	723C30W	723C20W				
	W27																	
W2380	W40	27	74,6	23,8	95	0104C10W	020440W	504W	50430W	34,5 X 40 X 4	41 X 48 X 3	50420W	704C30W	704C20W				
	W42																	
W2480	W50	32	76	27	98	0105C10W	020540W	505W	50530W	39,5 X 49 X 4,5	48 X 57,5 X 4	50520W	705C30W	705C20W				
	W52									60430L...FR	60320L1500							

* 5 = Rilsan coated profile

SIZE	BENZI Model	A B C D				1	2	3	4	* 5			6	7	8	9
		A	B	C	D					A	B	S				
W2480	W55	32	76	27	98	0105C10W	020540W	505W	55530W	51 X 37	61 X 47 X 4,5	55520W	755C30W	755C20W		
	W57									60130T...FR	60120T1500					
W2580	W65	36	89	32	110	0165C10W	026740W	506W	56530W	51 X 37	61 X 47 X 4,5	56520W	765C30W	765C20W		
	W67									60130T...FR	60120T1500					

* 5 = Rilsan coated profile




CV END YOKES - COLLAR

SIZE	BENZI Model	A	Z	X	P	L
		W2280	W23 - W27	1.3/8"-6 1.3/8"-21	21	71
W2380	W40 - W42	1.3/8"-6 1.3/8"-21	24	85	18	109
		1.3/4"-6 1.3/4"-20				
W4580	W50 - W52	1.3/8"-6 1.3/8"-21	27	85	27	128
	W55 - W57	1.3/4"-6 1.3/4"-20				
W2580	W65 - W67	1.3/8"-6 1.3/8"-21	30	106	23	124
		1.3/4"-6 1.3/4"-20				
		1.3/4"-6 1.3/4"-20				

Part.No.
0123C10W
0123C12W
0104C10W
0104C12W
0105C10W
0105C12W
0105H13W
0105H17W
0165C10W
0165H12W
0165H13W
0165H17W

CV SHAFTS (80°) - CROSSLIST TABLES



Serie W

WALTERSCHEID
Serie WWE 2000

BONDIOLI
Serie 650

COMER
Serie CV J-T

RATED POWER
HP - 540 rpm

Shaft type	Shaft type	Tube type	Shaft type	Shaft type	BENZI / WALTER.	VS	BYPY	VS	COMER
W23	WWE2280	0v GA/1 Lemon	652	20	27	VS	21	VS	23
W40	WWE2380	0v GA/1 Lemon	654	40	38	VS	35	VS	38
W46		1b GA/2a Lemon							
W50	WWE2480	1b GA/2a Lemon	656*	60	53	VS	64*	VS	68*
W55		S4 GA/S5 Star							
W60	WWE2580	1b GA/2a Lemon	658	80	90	VS	95	VS	100
W65		S4 GA/S5 Star							

* = The equivalence between Walt./BENZI and ByPy/Comer series is not precise in terms of rated power. Often for heavy duty applications between 40 and 60 HP ByPy/Comer use the heavy 6 series while BENZI and Walt. can offer the 5 series instead (W50 BENZI).

Basically BENZI and Walt. Have CV shafts for series 2,4,5,6,8 While ByPyand Comer for series 2,4,6,8

Note : The part numbers and other manufacturers' names are listed as a reference and comparison only.

CV SHAFTS (80°) - CROSSLIST TABLES



Serie W

WALTERSCHEID
Serie WWZ 2000

BONDIOLI
Serie 650

COMER
Serie CV J-T

RATED POWER
HP - 540 rpm


Shaft type	Shaft type	Tube type	Shaft type	Shaft type	Shaft type	Shaft type	Shaft type	Shaft type	Shaft type	Shaft type	Shaft type	Shaft type
W27	WWZ2280	0v GA/1	Lemon	672	20	27	21	23	60	64	68	68
W42	WWZ2380	0v GA/1	Lemon	674	40	38	35	38	53	64	68	68
W48		1b GA/2a	Lemon									
W52	WWZ2480	1b GA/2a	Lemon	676	60	90	95	100	90	90	95	100
W57		S4 GA/S5	Star									
W62	WWZ2580	1b GA/2a	Lemon	678	80	90	95	100	90	90	95	100
W67		S4 GA/S5	Star									

* = The equivalence between Walt./BENZI and ByPy/Comer series is not precise in terms of rated power. Often for heavy duty applications between 40 and 60 HP ByPy/Comer use the heavy 6 series while BENZI and Walt. can offer the 5 series instead (W50 BENZI).

Basically BENZI and Walt. Have CV shafts for series 2,4,5,6,8 While ByPyand Comer for series 2,4,6,8

Note : The part numbers and other manufacturers' names are listed as a reference and comparison only.


STANDARD PTO DRIVE SHAFTS - CROSSLIST TABLE



Series L - T

Shaft type

L01
L13
L02
L23
L04
L46
L05
T05
L67
T67
T89
T09




WALTERSCHIED Series W2000

Shaft type

W2100	00a - 0a	Limone
	0v - 1	Limone
W2200	00a - 0a	Limone
	0v - 1	Limone
W2300	0v - 1	Limone
	1b - 2a	Limone
W2400	1b - 2a	Limone
	S4 - S5	Sellare
W2500	1b - 2a	Limone
	S4 - S5	Stellare
W2600	S4 - S5	Stellare
	S5H - S6	Stellare

Note : The part numbers and other manufacturers' names are listed as a reference and comparison only.

STANDARD PTO DRIVE SHAFTS - CROSSLIST TABLE



Serie B
Shaft type

B01
B02
B03
B04
B05
B06
B07
B08
B09
B10

Bondioli & Pavesi
Serie 100


Shaft type

101
102
103
104
105
106
107
108
109
110

COMER
Serie T

Shaft type

T10
T20
T30
T40
T50
T60
T70
T80
T90
-



Serie P
Shaft type

-
-
-
-
P05
P06
P07
P08
P09
P10

Bondioli & Pavesi
Serie 400

Shaft type

401
402
403
404
405
406
407
408
409
410

COMER
Serie E

Shaft type

-
-
-
E40
E50
E60
E70
E80
E90
-

Note : The part numbers and other manufacturers' names are listed as a reference and comparison only.



BENZI VS WEASLER ENGINEERING

STANDARD DRIVESHAFTS

BENZI & DI TERLIZZI		WEASLER		
Triangular	B01	AB1	AW19	
	B02	AB2	AW10	
	B03	AB3	AW10S	
	B04	AB4	AW20	
	B05	AB5	AW21	
	B06	AB6	AW21S	
	B7	AB7N	AW35	
	B08	AB8	AW35S	
	B09	AB9	AW36	
	B10	AM77S	--	
Lemon			AW26	
			AM77	
	Star	--	V06	
		L01	V07	
		--	V08	
L23		V10		
L04		V12		
Splined	L46			
	L05			

EVOLUTION SERIES: COMES WITH "E-KIT" AS STANDARD FEATURE AND 50H LUBRICATION INTERVALS

INNOVATIVE SOLUTIONS FOR POWER TRANSMISSION

WWW.BENZI.IT



BENZI VS WEASLER ENGINEERING

CV DRIVELINES



1 CV Joint 2 CV Joints


WEASLER

Lemon	W23	W27	AW10 - 50°
	W40	W42	AW10 - 70°
	W46	W48	AW20 - 80°
Star	W50	W52	AW21 - 50°
	W55	W57	AW21 - 80°
			AW35 - 50°
			AW35 - 80°
			AW36 - 80°

EVOLUTION SERIES: COMES WITH "E-KIT" AS STANDARD FEATURE AND 80° ANGLE

INNOVATIVE SOLUTIONS FOR POWER TRANSMISSION

WWW.BENZI.IT



NEW SERIES

BENZI EVOLUTION	W. POWER DRIVE
V06	P400
V07	P500
V08	-
V10	P600
V12	P700
V07 (splined)	P500 (splined)
V10 (splined)	P600 (splined)
V12 (splined)	P700 (splined)

INNOVATIVE SOLUTIONS FOR POWER TRANSMISSION

WWW.BENZIT.IT